



MightyMic C
Directional Condenser Shotgun Video
Microphone for Smartphone/Camera

Introduction:

Thank you for purchasing the MightyMic C microphone. In order to get the maximum benefit of the microphone you need to use an App designed to support all the audio features such as FilmicPro or MoviePro for video recording with your phone. Use the included cable for recording with your camera or phone. It can be used with the MightyMic Pro adapter for wireless recording direct to your phone. Please visit our website for the latest info on supported Apps and features.

Description of components:



- 1: Microphone Element
- 2: XLR microphone Audio Connector
- 3: Smartphone/Camera/Off Selector

Package list:




Common issues:

- To avoid any interference, please turn off the Wi-Fi on your phone and set the device to airplane mode
- Why there is low-level noise when I am recording with my camera? It is commonly caused by the "Automatic gain control" or "AGC" function of the camera. Generally when a camera detects low or no audio input signal the camera will automatically increase the input gain. When the input gain is increased the noise level of the camera's microphone also increases. The AGC function of certain cameras can be disabled, please contact the manufacturer of your camera for more information. We recommend that you manually set the audio level to optimize the Signal to Noise ratio and disable your camera's AGC. You can also remove the noise using many software programs after your done recording.
- The smartphone headphone adapter can be used for playback. It can
 also be used for monitoring during recording with a compatible App
 such as MoviePro or MightyMic Pro Recorder. Using an App will allow
 you to listen and set sensitivity levels before recording and listen while
 recording. This adapter will not work with DSLR cameras.

Operation:

1. Install the mic into a smartphone, a DSLR camera, the MightyMic Pro wireless adapter or on a boom pole



Option 1-As shown above insert the mic into your phone's headphone connector and rotate it to the appropriate position. Secure the mic with the smartphone stabilizer support. Set the selector to the top (phone) position. You may need to use a phone mount and Lightning adapter if your device does not have a headphone jack.

Option 2-Mount the mic on a DSLR camera with the hot shoe mount and set the selector to the middle (camera) position.

Option 3-Connect the 3.5mm plug to the headphone jack on the MightyMic Pro and set the selector to the top (phone) position for wireless applications.


Warranty/Support:

Product warranty is limited to defects in material and workmanship for one year to the original purchaser. Warranty does not cover collateral damage due to misuse, abuse, incorrect use and other inappropriate uses of this product. The limitation of this warranty is to repair or replace the defective parts. Consequential and incidental damages are not covered under this warranty. This warranty gives you specific legal rights, you may also have other rights which vary from state to state. See details at ampridge.com for updated information.


If your device is not performing as it should please visit our website at ampridge.com or e-mail us at info@ampridge.com

Specifications:

1.Frequency Response



2. Polar Pattern



Polar Plots (at 1kHz)

3. Specifications

| Polar Pattern | Cardioid |
|--------------------------|---------------------|
| Maximum SPL | 110 dB |
| Frequency response range | 100HZ-16KHZ |
| Harmonic distortion THD | <1% |
| Dynamic range | 100dB |
| Sensitivity | -48dB+2dB |
| S/N Ratio | ≽70dB |
| Product weight | 28.5g approximately |
| Product dimension | 21mm*88mm |